



# PDC Laboratories, Inc.

PROFESSIONAL • DEPENDABLE • COMMITTED

December 21, 2017

Amy Drobnik  
Messiah Lutheran Nursery School  
25225 W Ivanhoe Road  
Wauconda, IL 60084

Dear Amy Drobnik:

Please find enclosed the analytical results for the sample(s) the laboratory received on **12/7/17 12:19 pm** and logged in under work order **7121371**. All testing is performed according to our current TNI certifications unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of PDC Laboratories, Inc.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

PDC Laboratories, Inc. appreciates the opportunity to provide you with analytical expertise. We are always trying to improve our customer service and we welcome you to contact the Vice President, John LaPayne with any feedback you have about your experience with our laboratory.

Sincerely,

Senior Project Manager  
(309) 692-9688 x1719  
kstepping@pdclab.com





## ANALYTICAL RESULTS

**Sample:** 7121371-01  
**Name:** Basement Dish Sink- 1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:26  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:38	KMC	EPA 200.8

**Sample:** 7121371-02  
**Name:** Basement Dish Sink- 2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:27  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:39	KMC	EPA 200.8

**Sample:** 7121371-03  
**Name:** Basement Food Sink- 1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:29  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.37	ug/L		12/19/17 11:02	12/20/17 17:40	KMC	EPA 200.8

**Sample:** 7121371-04  
**Name:** Basement Food Sink- 2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:30  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:41	KMC	EPA 200.8

**Sample:** 7121371-05  
**Name:** Basemen Drinking Fountain- 1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:31  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.20	ug/L		12/19/17 11:02	12/20/17 17:49	KMC	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-06  
**Name:** Basemen Drinking Fountain- 2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:32  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.03	ug/L		12/19/17 11:02	12/20/17 17:51	KMC	EPA 200.8

**Sample:** 7121371-07  
**Name:** Gathering Area Sink- 1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:41  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:52	KMC	EPA 200.8

**Sample:** 7121371-08  
**Name:** Gathering Area Sink- 2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:42  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:53	KMC	EPA 200.8

**Sample:** 7121371-09  
**Name:** Nursery Sink-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:37  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.37	ug/L		12/19/17 11:02	12/20/17 17:54	KMC	EPA 200.8

**Sample:** 7121371-10  
**Name:** Nursery Sink-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:38  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:55	KMC	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-11  
**Name:** Van Buskirk Sink-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:44  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.67	ug/L		12/19/17 11:02	12/20/17 17:56	KMC	EPA 200.8

**Sample:** 7121371-12  
**Name:** Van Buskirk Sink-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:45  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 17:58	KMC	EPA 200.8

**Sample:** 7121371-13  
**Name:** Classroom 11 Tall Sink-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:48  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:06	KMC	EPA 200.8

**Sample:** 7121371-14  
**Name:** Classroom 11 Tall Sink-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:49  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:07	KMC	EPA 200.8

**Sample:** 7121371-15  
**Name:** Classroom 11 Short Sink-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:50  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:08	KMC	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-16  
**Name:** Classroom 11 Short Sink-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:51  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:09	KMC	EPA 200.8

**Sample:** 7121371-17  
**Name:** Classroom 10 Tall Sink-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:54  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:11	KMC	EPA 200.8

**Sample:** 7121371-18  
**Name:** Classroom 10 Tall Sink-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:55  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:12	KMC	EPA 200.8

**Sample:** 7121371-19  
**Name:** Classroom 10 Short Sink-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:55  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:13	KMC	EPA 200.8

**Sample:** 7121371-20  
**Name:** Classroom 10 Short Sink-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 05:56  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:14	KMC	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-21  
**Name:** Kindergarten Drinking Fountain-1st Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:00  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:15	KMC	EPA 200.8

**Sample:** 7121371-22  
**Name:** Kindergarten Drinking Fountain-2nd Draw  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:01  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:16	KMC	EPA 200.8

**Sample:** 7121371-23  
**Name:** Faith Hall Kitchen - draw#1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:03  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.09	ug/L		12/19/17 11:02	12/20/17 18:21	KMC	EPA 200.8

**Sample:** 7121371-24  
**Name:** Faith Hall Kitchen - draw#2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:04  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:23	KMC	EPA 200.8

**Sample:** 7121371-25  
**Name:** Preschool drinking fountain #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:07  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:24	KMC	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-26  
**Name:** Preschool drinking fountain #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:08  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:25	KMC	EPA 200.8

**Sample:** 7121371-27  
**Name:** Classroom #2 tall sink - draw #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:10  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	1.65	ug/L		12/19/17 11:02	12/20/17 18:26	KMC	EPA 200.8

**Sample:** 7121371-28  
**Name:** Classroom #2 tall sink - draw #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:11  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:27	KMC	EPA 200.8

**Sample:** 7121371-29  
**Name:** Classroom #2 short sink - draw #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:12  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:28	KMC	EPA 200.8

**Sample:** 7121371-30  
**Name:** Classroom #2 short sink - draw #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:13  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/19/17 11:02	12/20/17 18:30	KMC	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-31  
**Name:** Classroom 7 tall sink - #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:15  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	2.87	ug/L		12/20/17 05:43	12/20/17 14:16	JMW	EPA 200.8

**Sample:** 7121371-32  
**Name:** Classroom 7 tall sink - #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:16  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:17	JMW	EPA 200.8

**Sample:** 7121371-33  
**Name:** Classroom 7 short sink - #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:17  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:19	JMW	EPA 200.8

**Sample:** 7121371-34  
**Name:** Classroom 7 short sink - #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:18  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:20	JMW	EPA 200.8

**Sample:** 7121371-35  
**Name:** Classroom 6 tall sink - draw #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:21  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:26	JMW	EPA 200.8





## ANALYTICAL RESULTS

**Sample:** 7121371-36  
**Name:** Classroom 6 tall sink -#2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:22  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:28	JMW	EPA 200.8

**Sample:** 7121371-37  
**Name:** Classroom 6 short sink - #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:22  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:29	JMW	EPA 200.8

**Sample:** 7121371-38  
**Name:** Classroom 6 short sink - #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:23  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:30	JMW	EPA 200.8

**Sample:** 7121371-39  
**Name:** Classroom 3 tall sink - #1  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:25  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:31	JMW	EPA 200.8

**Sample:** 7121371-40  
**Name:** Classroom 3 tall sink - #2  
**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:26  
**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b>Total Metals - PIA</b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:33	JMW	EPA 200.8



## ANALYTICAL RESULTS

**Sample:** 7121371-41

**Name:** Classroom 3 short sink - #1

**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:27

**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b><u>Total Metals - PIA</u></b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:34	JMW	EPA 200.8

**Sample:** 7121371-42

**Name:** Classroom 3 short sink - #2

**Matrix:** Drinking Water - Grab

**Sampled:** 12/07/17 06:28

**Received:** 12/07/17 12:19

Parameter	Result	Unit	Qualifier	Prepared	Analyzed	Analyst	Method
<b><u>Total Metals - PIA</u></b>							
Lead	< 1.00	ug/L		12/20/17 05:43	12/20/17 14:35	JMW	EPA 200.8



## NOTES

Specific method revisions used for analysis are available upon request.

### Certifications

**CHI - McHenry, IL**

TNI Accreditation for Drinking Water, Wastewater, Hazardous and Solid Wastes Fields of Testing through IL EPA Lab No. 100279  
Illinois Department of Public Health Bacteriological Analysis in Drinking Water Approved Laboratory Registry No. 17556

**PIA - Peoria, IL**

TNI Accreditation for Drinking Water, Wastewater, Hazardous and Solid Wastes Fields of Testing through IL EPA Lab No. 100230  
Illinois Department of Public Health Bacteriological Analysis in Drinking Water Approved Laboratory Registry No. 17553  
Wastewater Certifications: Arkansas (88-0677); Iowa (240); Kansas (E-10338)  
Hazardous/Solid Waste Certifications: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

**SPMO - Springfield, MO**

USEPA DMR-QA Program

**STL - St. Louis, MO**

TNI Accreditation for Wastewater, Hazardous and Solid Wastes Fields of Testing through KS Lab No. E-10389  
Illinois Department of Public Health Bacteriological Analysis in Drinking Water Approved Laboratory Registry No. 171050  
Drinking Water Certifications: Missouri (1050)  
Missouri Department of Natural Resources

\* Not a TNI accredited analyte

Certified by: Kurt Stepping, Senior Project Manager



**PDC LABORATORIES, INC.**  
**2231 WEST ALTORFER DRIVE**  
**PEORIA, IL 61615**  
 PHONE: (800) 752-6651 FAX: (309) 692-9688

**CHAIN OF CUSTODY RECORD**  
**ILLINOIS SCHOOLS LEAD TESTING**

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

<b>1 CLIENT</b> ADDRESS: <u>Messiah Lutheran Church</u> CITY/STATE/ZIP: <u>Macanda, IL 60084</u> CONTACT PERSON: <u>Amy DROBNIK</u>		P.O. NUMBER: SCHOOL NAME: MEANS SHIPPED:		<b>3 ANALYSIS REQUESTED</b>		<b>4 (FOR LAB USE ONLY)</b> LOGIN # <u>7121371</u> LAB PROJ. # TEMP. MGR.: KURT STEPPING									
ADDRESS: <u>25225 W. Vanhoy Rd</u> CITY/STATE/ZIP: <u>Macanda, IL 60084</u> CONTACT PERSON: <u>Amy DROBNIK</u>		PHONE NUMBER: EMAIL: DATE SHIPPED:		MATRIX TYPES: WM - WASTEWATER DW - DRINKING WATER GW - GROUND WATER MS - SOLID LCH - LEACHATE OTHER:		LOGGED BY: LAB PROJ. # TEMP. MGR.: KURT STEPPING									
<b>2 SAMPLE DESCRIPTION AS YOU WANT ON REPORT</b>		<b>DATE COLLECTED</b>		<b>TIME COLLECTED</b>		<b>SAMPLE VOLUME COLLECTED</b>		<b>MATRIX TYPE</b>		<b>BOTTLE COUNT</b>		<b>LEAD 200.8</b>		<b>DATE/TIME LAST USED</b>	
Basement Dish Sink - 1st draw		12/7/17		5:26		250 ml		DW		1		X		12/6 7:14 pm	
Basement Dish Sink - 2nd draw		1		5:27		250 ml		DW		1		X		7:14 pm	
Basement Food Sink - 1st draw		1		5:29		250 ml		DW		1		X		7:14 pm	
Basement Food Sink - 2nd draw		1		5:30		250 ml		DW		1		X		7:14 pm	
Basement Drinking Fountain - #1		1		5:31		250 ml		DW		1		X		7:13 pm	
Basement Drinking Fountain - #2		1		5:32		250 ml		DW		1		X		7:13 pm	
Gathering Area Sink - #1		1		5:41		250 ml		DW		1		X		7:23 pm	
Gathering Area Sink - #2		1		5:42		250 ml		DW		1		X		7:23 pm	
Nursery Sink - draw #1		1		5:37		250 ml		DW		1		X		7:19 pm	
Nursery Sink - draw #2		1		5:38		250 ml		DW		1		X		7:19 pm	
VanBuskirk Sink - draw #1		1		5:44		250 ml		DW		1		X		7:10 pm	
<b>5 TURAROUND TIME REQUESTED (PLEASE CIRCLE) NORMAL RUSH</b> (RUSH FEE IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE) RUSH RESULTS VIA (PLEASE CIRCLE) FAX PHONE		<b>DATE RESULTS NEEDED</b>		<b>6</b> The sample temperature will be measured upon receipt at the lab. By initiating this area you request that the lab notify you, before proceeding with analysis, if the sample temperature is outside of the range of 0.1-6.0°C. By not initiating this area you allow the lab to proceed with analytical testing regardless of the sample temperature.		<b>8 COMMENTS: (FOR LAB USE ONLY)</b> SAMPLE TEMPERATURE UPON RECEIPT: <u>20.0 °C</u> CHILL PROCESS STARTED PRIOR TO RECEIPT SAMPLE(S) RECEIVED ON ICE PROPER BOTTLES RECEIVED IN GOOD CONDITION BOTTLES FILLED WITH ADEQUATE VOLUME SAMPLES RECEIVED WITHIN HOLD TIMES (EXCLUDES TYPICAL FIELD PARAMETERS) DATE AND TIME TAKEN FROM SAMPLE BOTTLE									
<b>7 RELINQUISHED BY: (SIGNATURE)</b> <u>Amy Drobik</u>		<b>DATE</b> TIME: <u>12/17/17</u>		<b>RECEIVED BY: (SIGNATURE)</b> <u>[Signature]</u>		<b>DATE</b> TIME: <u>12/19/17</u>		<b>RELINQUISHED BY: (SIGNATURE)</b>		<b>DATE</b> TIME:		<b>RELINQUISHED BY: (SIGNATURE)</b>		<b>DATE</b> TIME:	

**PDC LABORATORIES, INC.**  
**2231 WEST ALTORFER DRIVE**  
**PEORIA, IL 61615**  
 PHONE: (800) 752-6651 FAX: (309) 692-9688

**CHAIN OF CUSTODY RECORD**  
**ILLINOIS SCHOOLS LEAD TESTING**

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

<b>1 CLIENT</b> ADDRESS 25225 W. Vanhise Road CITY Peoria, IL 61604 STATE IL ZIP 61604 CONTACT PERSON Amy Drobnik		P.O. NUMBER  PHONE NUMBER  EMAIL  DATE SHIPPED 		SCHOOL NAME  MEANS SHIPPED 		<b>3 ANALYSIS REQUESTED</b> 		<b>4 (FOR LAB USE ONLY)</b> LOGIN # 7121371 LAB PROJ. # TEMPLATE: PROJ. MGR.: KURT STEPPING							
<b>2 SAMPLE DESCRIPTION</b> AS YOU WANT ON REPORT VanBuskirk Sink - draw #2 Classroom #11 tall sink - draw #1 Classroom 11 tall sink - draw #2 Classroom 11 short sink - #1 Classroom 11 short sink - #2 Classroom 10 tall sink - #1 Classroom 10 tall sink - #2 Classroom 10 short sink - #1 Classroom 10 short sink - #2 Kindergarten drinking fountain - #1 Kindergarten drinking fountain - #2		DATE COLLECTED 12/7/17 		TIME COLLECTED 5:45 5:50 5:51 5:54 5:55 5:55 5:56 6:00 6:01		SAMPLE VOLUME COLLECTED 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml 250 ml		MATRIX TYPE DW DW DW DW DW DW DW DW DW DW		BOTTLE COUNT 1 1 1 1 1 1 1 1 1 1		LEAD 200.8 		DATE/TIME LAST USED 12/6/17 7:10pm 12/7/17 7:11pm 12/7/17 7:11pm 12/7/17 7:11pm 12/7/17 7:12pm 12/7/17 7:12pm 12/7/17 7:12pm 12/7/17 7:12pm 12/7/17 7:09pm 12/7/17 7:09pm	
<b>5 RUSH RESULTS VIA (PLEASE CIRCLE) FAX PHONE</b> (RUSH FEE IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE) TURNAROUND TIME REQUESTED (PLEASE CIRCLE) NORMAL RUSH DATE RESULTS NEEDED 		The sample temperature will be measured upon receipt at the lab. By initiating this sample you request that the lab notify you, before proceeding with analysis, if the sample temperature is outside of the range of 0.1-6.0°C. By not initiating this area you allow the lab to proceed with analytical testing regardless of the sample temperature.													
<b>7 RELINQUISHED BY: (SIGNATURE)</b> Amy Drobnik DATE 12/7/17 TIME 12:19		<b>RECEIVED BY: (SIGNATURE)</b> [Signature] DATE 12/7/17 TIME 12:19		<b>8 COMMENTS: (FOR LAB USE ONLY)</b> SAMPLE TEMPERATURE UPON RECEIPT 20.0 °C CHILL PROCESS STARTED PRIOR TO RECEIPT SAMPLE(S) RECEIVED ON ICE PROPER BOTTLES RECEIVED IN GOOD CONDITION BOTTLES FILLED WITH ADEQUATE VOLUME SAMPLES RECEIVED WITHIN HOLD TIMES (EXCLUDES TYPICAL FIELD PARAMETERS) DATE AND TIME TAKEN FROM SAMPLE BOTTLE											



# CHAIN OF CUSTODY RECORD

## ILLINOIS SCHOOLS LEAD TESTING

Pg 3 of 4

# CHAIN OF CUSTODY RECORD

## ILLINOIS SCHOOLS LEAD TESTING

**ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)**

[illegible]

Pg 4 of 4

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-01**  
**Name: Basement Dish Sink- 1st Draw**

**Sampled: 12/07/17 05:26**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:26	
Turb check	12/19/17 16:00	06/05/18 05:26	

**Sample: 7121371-02**  
**Name: Basement Dish Sink- 2nd Draw**

**Sampled: 12/07/17 05:27**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:27	
Turb check	12/19/17 16:00	06/05/18 05:27	

**Sample: 7121371-03**  
**Name: Basement Food Sink- 1st Draw**

**Sampled: 12/07/17 05:29**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:29	
Turb check	12/19/17 16:00	06/05/18 05:29	

**Sample: 7121371-04**  
**Name: Basement Food Sink- 2nd Draw**

**Sampled: 12/07/17 05:30**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:30	
Turb check	12/19/17 16:00	06/05/18 05:30	



**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-05**  
**Name: Basemen Drinking Fountain- 1st Draw**

**Sampled: 12/07/17 05:31**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:31	
Turb check	12/19/17 16:00	06/05/18 05:31	

**Sample: 7121371-06**  
**Name: Basemen Drinking Fountain- 2nd Draw**

**Sampled: 12/07/17 05:32**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:32	
Turb check	12/19/17 16:00	06/05/18 05:32	

**Sample: 7121371-07**  
**Name: Gathering Area Sink- 1st Draw**

**Sampled: 12/07/17 05:41**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:41	
Turb check	12/19/17 16:00	06/05/18 05:41	

**Sample: 7121371-08**  
**Name: Gathering Area Sink- 2nd Draw**

**Sampled: 12/07/17 05:42**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:42	
Turb check	12/19/17 16:00	06/05/18 05:42	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**  
**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-09**  
**Name: Nursery Sink-1st Draw**

**Sampled: 12/07/17 05:37**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

<b>Analysis</b>	<b>Due</b>	<b>Expires</b>	<b>Comments</b>
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:37	
Turb check	12/19/17 16:00	06/05/18 05:37	

**Sample: 7121371-10**  
**Name: Nursery Sink-2nd Draw**

**Sampled: 12/07/17 05:38**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

<b>Analysis</b>	<b>Due</b>	<b>Expires</b>	<b>Comments</b>
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:38	
Turb check	12/19/17 16:00	06/05/18 05:38	

**Sample: 7121371-11**  
**Name: Van Buskirk Sink-1st Draw**

**Sampled: 12/07/17 05:44**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

<b>Analysis</b>	<b>Due</b>	<b>Expires</b>	<b>Comments</b>
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:44	
Turb check	12/19/17 16:00	06/05/18 05:44	

**Sample: 7121371-12**  
**Name: Van Buskirk Sink-2nd Draw**

**Sampled: 12/07/17 05:45**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

<b>Analysis</b>	<b>Due</b>	<b>Expires</b>	<b>Comments</b>
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:45	
Turb check	12/19/17 16:00	06/05/18 05:45	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-13**  
**Name: Classroom 11 Tall Sink-1st Draw**

**Sampled: 12/07/17 05:48**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:48	
Turb check	12/19/17 16:00	06/05/18 05:48	

**Sample: 7121371-14**  
**Name: Classroom 11 Tall Sink-2nd Draw**

**Sampled: 12/07/17 05:49**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:49	
Turb check	12/19/17 16:00	06/05/18 05:49	

**Sample: 7121371-15**  
**Name: Classroom 11 Short Sink-1st Draw**

**Sampled: 12/07/17 05:50**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:50	
Turb check	12/19/17 16:00	06/05/18 05:50	

**Sample: 7121371-16**  
**Name: Classroom 11 Short Sink-2nd Draw**

**Sampled: 12/07/17 05:51**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:51	
Turb check	12/19/17 16:00	06/05/18 05:51	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**  
**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-17**  
**Name: Classroom 10 Tall Sink-1st Draw**

**Sampled: 12/07/17 05:54**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:54	
Turb check	12/19/17 16:00	06/05/18 05:54	

**Sample: 7121371-18**  
**Name: Classroom 10 Tall Sink-2nd Draw**

**Sampled: 12/07/17 05:55**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:55	
Turb check	12/19/17 16:00	06/05/18 05:55	

**Sample: 7121371-19**  
**Name: Classroom 10 Short Sink-1st Draw**

**Sampled: 12/07/17 05:55**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:55	
Turb check	12/19/17 16:00	06/05/18 05:55	

**Sample: 7121371-20**  
**Name: Classroom 10 Short Sink-2nd Draw**

**Sampled: 12/07/17 05:56**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 05:56	
Turb check	12/19/17 16:00	06/05/18 05:56	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-21**  
**Name:** Kindergarten Drinking Fountain-1st Dra

**Sampled:** 12/07/17 06:00  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:00	
Turb check	12/19/17 16:00	06/05/18 06:00	

**Sample: 7121371-22**  
**Name:** Kindergarten Drinking Fountain-2nd Dra

**Sampled:** 12/07/17 06:01  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:01	
Turb check	12/19/17 16:00	06/05/18 06:01	

**Sample: 7121371-23**  
**Name:** Faith Hall Kitchen - draw#1

**Sampled:** 12/07/17 06:03  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:03	
Turb check	12/19/17 16:00	06/05/18 06:03	

**Sample: 7121371-24**  
**Name:** Faith Hall Kitchen - draw#2

**Sampled:** 12/07/17 06:04  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:04	
Turb check	12/19/17 16:00	06/05/18 06:04	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-25**  
**Name:** Preschool drinking fountain #1

**Sampled:** 12/07/17 06:07  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:07	
Turb check	12/19/17 16:00	06/05/18 06:07	

**Sample: 7121371-26**  
**Name:** Preschool drinking fountain #2

**Sampled:** 12/07/17 06:08  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:08	
Turb check	12/19/17 16:00	06/05/18 06:08	

**Sample: 7121371-27**  
**Name:** Classroom #2 tall sink - draw #1

**Sampled:** 12/07/17 06:10  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:10	
Turb check	12/19/17 16:00	06/05/18 06:10	

**Sample: 7121371-28**  
**Name:** Classroom #2 tall sink - draw #2

**Sampled:** 12/07/17 06:11  
**Matrix:** Drinking Water  
**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:11	
Turb check	12/19/17 16:00	06/05/18 06:11	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-29**

**Name:** Classroom #2 short sink - draw #1

**Sampled:** 12/07/17 06:12

**Matrix:** Drinking Water

**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:12	
Turb check	12/19/17 16:00	06/05/18 06:12	

**Sample: 7121371-30**

**Name:** Classroom #2 short sink - draw #2

**Sampled:** 12/07/17 06:13

**Matrix:** Drinking Water

**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:13	
Turb check	12/19/17 16:00	06/05/18 06:13	

**Sample: 7121371-31**

**Name:** Classroom 7 tall sink - #1

**Sampled:** 12/07/17 06:15

**Matrix:** Drinking Water

**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:15	
Turb check	12/19/17 16:00	06/05/18 06:15	

**Sample: 7121371-32**

**Name:** Classroom 7 tall sink - #2

**Sampled:** 12/07/17 06:16

**Matrix:** Drinking Water

**Preservative:** HNO3, pH <2

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:16	
Turb check	12/19/17 16:00	06/05/18 06:16	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**  
**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-33**  
**Name: Classroom 7 short sink - #1**

**Sampled: 12/07/17 06:17**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:17	
Turb check	12/19/17 16:00	06/05/18 06:17	

**Sample: 7121371-34**  
**Name: Classroom 7 short sink - #2**

**Sampled: 12/07/17 06:18**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:18	
Turb check	12/19/17 16:00	06/05/18 06:18	

**Sample: 7121371-35**  
**Name: Classroom 6 tall sink - draw #1**

**Sampled: 12/07/17 06:21**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:21	
Turb check	12/19/17 16:00	06/05/18 06:21	

**Sample: 7121371-36**  
**Name: Classroom 6 tall sink -#2**

**Sampled: 12/07/17 06:22**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:22	
Turb check	12/19/17 16:00	06/05/18 06:22	



**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-37**  
**Name: Classroom 6 short sink - #1**

**Sampled: 12/07/17 06:22**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:22	
Turb check	12/19/17 16:00	06/05/18 06:22	

**Sample: 7121371-38**  
**Name: Classroom 6 short sink - #2**

**Sampled: 12/07/17 06:23**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:23	
Turb check	12/19/17 16:00	06/05/18 06:23	

**Sample: 7121371-39**  
**Name: Classroom 3 tall sink - #1**

**Sampled: 12/07/17 06:25**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:25	
Turb check	12/19/17 16:00	06/05/18 06:25	

**Sample: 7121371-40**  
**Name: Classroom 3 tall sink - #2**

**Sampled: 12/07/17 06:26**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:26	
Turb check	12/19/17 16:00	06/05/18 06:26	

**SUBCONTRACT ORDER**  
**Transfer Chain of Custody**

**PDC Laboratories, Inc.**

**7121371**

**SENDING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(800) 752-6651

**RECEIVING LABORATORY**

PDC Laboratories, Inc.  
2231 W Altorfer Dr  
Peoria, IL 61615  
(309) 692-9688

**Sample: 7121371-41**  
**Name: Classroom 3 short sink - #1**

**Sampled: 12/07/17 06:27**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:27	
Turb check	12/19/17 16:00	06/05/18 06:27	

**Sample: 7121371-42**  
**Name: Classroom 3 short sink - #2**

**Sampled: 12/07/17 06:28**  
**Matrix: Drinking Water**  
**Preservative: HNO3, pH <2**

Analysis	Due	Expires	Comments
Pb 200.8 DW Schools	12/19/17 16:00	06/05/18 06:28	
Turb check	12/19/17 16:00	06/05/18 06:28	

**Please email results to Kurt Stepping at [kstepping@pdclab.com](mailto:kstepping@pdclab.com)**

Date Shipped: 12/13/17 Total # of Containers: 42 Sample Origin (State): IL PO #: \_\_\_\_\_  
Turn-Around Time Requested ☒ NORMAL ☐ RUSH Date Results Needed: 12/19/17

Relinquished By <u>VP</u>	Date/Time <u>12/13/17 900</u>	Received By <u>[Signature]</u>	Date/Time <u>12-13-17 1225</u>	Sample Temperature Upon Receipt <u>18</u> °C
				Sample(s) Received on Ice <u>Y</u> or <u>N</u>
				Proper Bottles Received in Good Condition <u>Y</u> or <u>N</u>
				Bottles Filled with Adequate Volume <u>Y</u> or <u>N</u>
				Samples Received Within Hold Time <u>Y</u> or <u>N</u>
Relinquished By <u>[Signature]</u>	Date/Time <u>12-13-17 1650</u>	Received By <u>[Signature]</u>	Date/Time <u>12/13/17 1650</u>	Date/Time Taken From Sample Bottle <u>Y</u> or <u>N</u>